

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| S20 | 1 | "20040131191".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/03 08:36 |
| S21 | 61 | ibe same public same private | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/03 08:36 |
| S22 | 69 | ibe same public same private | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/03 08:36 |
| S23 | 2 | @ad<"20020705" and ibe same public same private | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/03 08:37 |
| S24 | 88 | @ad<"20020705" and ((identity identifier) adj2 encryption) AND (public same private same generat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/03 08:37 |
| S25 | 3 | @ad<"20020705" and ((identity identifier) adj2 encryption) AND (public same private same generat\$3) and ((multipl\$5 plural\$3) near2 (ta authority trusted)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/07 14:14 |
| S26 | 0 | @ad<"20020705" and ((identity identifier) adj based adj encryption) AND (public same (private NEAR2 generat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/03 08:41 |
| S27 | 2 | @ad<"20020705" and ((identity identifier) adj based adj encryption) AND ((private NEAR2 generat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/04 11:04 |
| S28 | 0 | @ad<"20020705" and ((identity identifier) adj based adj encryption) AND ((private NEAR2 generat\$3)) | US-PGPUB | OR | ON | 2007/05/04 11:04 |
| S29 | 1 | "20030179885".pn. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/04 12:25 |
| S30 | 1944 | (identi\$5 adj based) and processor and generator | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/04 12:27 |
| S31 | 861 | @ad<"20020705" and (identi\$5 adj based) and processor and generator | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/04 12:28 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S34 | 1 | @ad<"20020705" and (identi\$5 adj based adj \$2crypt\$7) and processor and (key near2 generator) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/04 12:29 |
| S36 | 1 | "20030179885".pn. | US-PGPUB; USPAT | OR | ON | 2007/05/07 09:04 |
| S37 | 7 | boneh.in. and identity | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 13:58 |
| S38 | 41 | ((LIQUN) near2 (CHEN)).INV. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/07 14:06 |
| S39 | 3 | ((DAVID) near2 (SOLDERA)).INV. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/07 14:06 |
| S40 | 73 | ((KEITH) near2 (HARRISON)).INV. | US-PGPUB; USPAT; USOCR | OR | ON | 2007/05/07 14:06 |
| S41 | 135 | ((KEITH) near2 (HARRISON)).INV. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/07 14:06 |
| S42 | 5 | ((DAVID) near2 (SOLDERA)).INV. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/07 14:06 |
| S43 | 75 | ((LIQUN) near2 (CHEN)).INV. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/07 14:06 |
| S44 | 169 | S41 S42 S43 | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:06 |
| S45 | 63 | S44 and (public adj (key parameter)) | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:07 |
| S46 | 21 | S44 and (public adj (key parameter)) and elliptic | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:07 |
| S47 | 20 | S44 and (public adj (key parameter)) and elliptic and weil | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:11 |
| S48 | 12 | S44 and (weil tate).clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:12 |
| S49 | 6 | S44 and (weil tate).clm. and identity.clm. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:12 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S50 | 1 | @ad<"20020705" and ((identity identifier) adj2 encryption) and (bilinear near3 encrypt\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB | OR | ON | 2007/05/07 14:14 |
| S51 | 0 | @ad<"20020705" and ((identity identifier) adj2 encryption) and (bilinear near3 encrypt\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:15 |
| S52 | 25 | @ad<"20020705" and ((identity identifier) adj2 encryption) and (trusted same secret) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:16 |
| S53 | 14 | @ad<"20020705" and ((identity identifier) adj2 encryption) and (trusted same secret same (public adj key)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:16 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---------------|---|------------------|---------|------------------|
| L1 | 1249 | 380/30.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:42 |
| L2 | 251 | 380/286.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:43 |
| L3 | 856 | 380/44.ccls. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | ON | 2007/05/07 14:43 |



Welcome United States Patent and Trademark Office

Search Session History

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 7 May 2007, 2:19:47 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((bilinear <and> encrypt)<in>metadata)) <and> (pyr >= 1950
<and> pyr <= 2003)
- #2 (((bilinear <and> public)<in>metadata)) <and> (pyr >= 1950
<and> pyr <= 2003)
- #3 (((weil <or> tate) <and> pairing <and> encryption)
<in>metadata)) <and> (pyr >= 1950 <and> pyr <= 2003)

Indexed by

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2006 IEEE –

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

bilinear pairing encryption

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **72,000** for **bilinear pairing encryption**. (0.13 seconds)**[PDF] Identity-Based Encryption from the Weil Pairing**File Format: PDF/Adobe Acrobat - [View as HTML](#)Our identity-based **encryption** scheme is presented. in Section 4 using general **bilinear** maps. Then a concrete identity based system from the Weil **pairing** is ...crypto.stanford.edu/~dabo/papers/ibe.pdf - [Similar pages](#)**[PDF] An ID-Based Broadcast Encryption Scheme for Key Distribution**

File Format: PDF/Adobe Acrobat

cryption scheme from **bilinear pairings** is based on a variant of the. Boneh-Franklin identity based **encryption** scheme. Index Terms—**Bilinear pairing**, ...

ieeexplore.ieee.org/iel5/11/26766/101109TBC2005847600.pdf?

arnumber=101109TBC2005847600 - [Similar pages](#)**[PDF] Efficient identity-based multicast scheme from bilinear pairing**

File Format: PDF/Adobe Acrobat

holds a key **encryption** key (KEK). The leaves of the tree. correspond to the group members. ... based on **bilinear pairing**. Our scheme has several desirable ...ieeexplore.ieee.org/iel5/2191/33164/01561965.pdf?arnumber=1561965 - [Similar pages](#)

[More results from ieeexplore.ieee.org]

[Abstract] Efficient Certificateless Public Key Encryption with ...Certificateless public key **encryption**; **bilinear pairing**; Key escrow. ... generic series construction model of certificateless public key **encryption** (CL-PKE) ...www.actapress.com/PaperInfo.aspx?PaperID=23663 - [Similar pages](#)**[Paper] Efficient Certificateless Public Key Encryption with Pairing**KEY WORDS Certificateless public key **encryption**; **bilinear pairing**; Key escrow. 1

Introduction Traditionally, a Public Key infrastructure (PKI) is used to ...

www.actapress.com/PDFViewer.aspx?paperId=23663 - [Similar pages](#)**Scalable, Server-Passive, User-Anonymous Timed Release Public Key ...**Scalable, Server-Passive, User-Anonymous Timed Release Public Key **Encryption** from**Bilinear Pairing** (2004) (Make Corrections) Ian F. Blake, Aldar C-F. Chan ...citeseer.ist.psu.edu/713155.html - 20k - [Cached](#) - [Similar pages](#)**[PDF] Chameleon Signature from Bilinear Pairing**File Format: PDF/Adobe Acrobat - [View as HTML](#)ID-based chameleon hash function based on **bilinear pairing** and build the ... [8] D. Boneh and M. Franklin, Identity-based **encryption** from the Weil **pairing**, ...eprint.iacr.org/2003/238.pdf - [Similar pages](#)**[PS] Scalable, Server-Passive, User-Anonymous Timed Release Public Key ...**File Format: Adobe PostScript - [View as Text](#)Timed Release Public Key **Encryption** from **Bilinear Pairing**. Ian F. Blake, Aldar C-F. Chan. Department of Electrical and Computer Engineering ...eprint.iacr.org/2004/211.ps - [Similar pages](#)

[More results from eprint.iacr.org]

[PS] Practical Identity-Based Encryption in Multi-PKG Environment from ...File Format: Adobe PostScript - [View as Text](#)

In this paper, we present a new identity-based **encryption** (IBE) scheme. using **bilinear pairings**. Our IBE scheme enjoys the same Key Extraction and De- ...
mirror.cr.yp.to/eprint.iacr.org/2007/100.ps - [Similar pages](#)

[PDF] ATTACK ON IDENTITY-BASED BROADCASTING ENCRYPTION SCHEMES*

Introduction

File Format: PDF/Adobe Acrobat

Broadcast **encryption** systems are now more and more popular. A typical ... MSL schemes are based on **bilinear pairing**. Before presenting ...

www.springerlink.com/index/vg842101x3430538.pdf - [Similar pages](#)

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

bilinear pairing encryption

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google